



No. 118, Sec.2, Hemu Rd., Qingshui Dist, Taichung, 43641, Taiwan, R.O.C Tel: 886 - 4 - 26200288 Fax: 886 - 4 - 26200388







No. 118, Sec.2, Hemu Rd., Qingshui Dist, Taichung, 43641, Taiwan, R.O.C Tel: 886 - 4 - 26200288 Fax: 886 - 4 - 26200388





INDEX

LIST	3
PUDA PODS	5
FEATURE	7
MODELS	ç
FUNCTION	35
ACCESSORIES	39
FINISH	41
INTERFACE	42

BATHROOM LIST

DOOR SIDE (DRAINAGE)	SHORT	SHORT	LONG	LONG	MIDDLE	MIDDLE
MODEL/PAGE	(RIGHT)	(LEFT)	(RIGHT)	(LEFT)	(RIGHT)	(LEFT)
1624 A						
CODE	1624AAAR	1624AAAL	1624AABR	1624AABL	1624AACR	1624AACL
1624 B						
CODE					1624BACR	1624BACL
1620 B P. 13						
CODE					1620BACR	1620BACL
1616 A P. 15						
CODE	1616AAAR	1616AAAL	1616AABR	1616AABL		
1521 A P. 17						
CODE	1521AAAR	1521AAAL	1521AABR	1521AABL		
1521 D P. 19			8 0			
CODE	1521DAAR	1521DAAL	1521DABR	1521DABL		
1420 A P. 21			0000	O O O		
CODE	1420AAAR	1420AAAL	1420AABR	1420AABL		
1418 A P. 23		0 0		o o o o o o o o o o o o o o o o o o o		
CODE	1418AAAR	1418AAAL	1418AABR	1418AABL		
1221D P. 25						
CODE	1221DAAR	1221DAAL	1221DABR	1221DABL		

BATHROOM LIST

DOOR SIDE (DRAINAGE) MODEL/PAGE	SHORT (RIGHT)	SHORT (LEFT)	LONG (RIGHT)	LONG (LEFT)	MIDDLE (RIGHT)	MIDDLE (LEFT)
1218 A P. 23	1000	3000	D O O	1000		
CODE	1218AAAR	1218AAAL	1218AABR	1218AABL		
1216 A P. 27						
CODE	1216AAAR	1216AAAL	1216AABR	1216AABL		
1214 A P. 29			0			
CODE	1214AAAR	1214AAAL	1214AABR	1214AABL		
1214 C P. 31						
CODE	1214CAAR	1214CAAL	1214CABR	1214CABL		
1214 E P. 33						
CODE	1214EAAR	1214EAAL	1214EABR	1214EABL		
1014 A P. 29						
CODE	1014AAAR	1014AAAL	1014AABR	1014AABL		
1014 C P. 31						
CODE	1014CAAR	1014CAAL	1014CABR	1014CABL		
1014 E P. 33	· ·					
CODE	1014EAAR	1014EAAL	1014EABR	1014EABL		
DDODLI	CT CODE		A DRAINAGE DIRECTIO	N (LEET) NOTE		

NOTE:

Above product code is for the type of direct drainage. Please select correct code when ordering.








PUDA GRP bathroom pod is composed of panalized floor base, wall panels and ceiling manufactured by high technic raw material and innovative manufacturing technology, with the integration of sanitary and MEP system. One unit of bathroom pod could be finished within 4 ~ 8 hours.

INSTALLATION





4. Ceiling install





5. Fittings install




6. Completed Unit

3. Door install

BENIFIT

Fast Install, Single Source



7.25 days for traditional bathroom work

Only 4 ~ 8 hours for PUDA bathroom pod



FEATURE

GRP WALL PANEL

TILED PATTERN

Tiled pattern embossment surface, Anti corrosion material, good durability.



EASY CLEAN


Easy and simple clean design.





GFP CEILING

Same material as wall panel. One piece molded, dome shape. Maintenance Hatch.






TILED FLOOR

100% LEAKPROOF






Water stop line design to gaurantee 100% leakproof



Draining slope design to meet 100% drainange



Polished tile surface, artistic and easy clean



Exclusive deodorant drain, easy clean



Lower threshold, safer and durable




Draining slope design in bath area, no obstruction

1624 A



MODELS

1624AACR




1624AACL





SPECIFICATION

GROUP	PRODUCT	DESCRIPTION
STRUCTURE	CEILING	GRP (Hatch 450*450mm)
	WALL	GRP
RUC	FLOOR	300*300mm polished tile
ST	DOOR	GRP
	TOILET	Flush: 6L
	COUNTER	Engineered stone Ceramic basin
	SCREEN	Tempered glass
S S	BASIN MIXER	Chrome, wall mounted
JRI	SHOWER MIXER	Chrome
ACCESSORIES	MIRROR	W1480*H750mm
	EXTRACT FAN	110V-240V/60Hz
\\	DOWN LIGHT	LED 9W, 120-240V
	TOWEL RACK	Stainless steel
	SHELF	Stainless steel
	PAPER HOLDER	Chrome
	HOOK	Chrome
	WEIGHT	512kg ± 3%

DIMENSION









1624 B



MODELS










SPECIFICATION

GROUP	PRODUCT	DESCRIPTION
H H	CEILING	GRP (Hatch 450*450mm)
I	WALL	GRP
STRUCTURE	FLOOR	300*300mm polished tile
ST	DOOR	GRP
	TOILET	Flush: 6L
	COUNTER	Engineered stone Ceramic basin
	BATHTUB	Acrylic
	BASIN MIXER	Chrome, wall mounted
ACCESSORIES	SHOWER MIXER	Chrome
SOR	MIRROR	W1580*H750mm
ES	EXTRACT FAN	110V-240V/60Hz
\CC	DOWN LIGHT	LED 9W, 120-240V
	TOWEL RACK	Stainless steel
	SHELF	Stainless steel
	PAPER HOLDER	Chrome, recessed
	ноок	Chrome
	GRAB BAR	L=600mm, stainless
	CURTAIN	Chrome
	WEIGHT	470kg ± 3%







(Indirect Drainage)




CURTAIN WEIGHT





Al. rope with PVC curtain

440kg ± 3%











(Indirect Drainage)



MODELS




1620BACR












DIMENSION ____









(Indirect	Drainage)



MODELS






1616AAAR









1521 A



MODELS









1521AABR 1521AABL




SPECIFICATION .

GROUP	PRODUCT	DESCRIPTION
H	CEILING	GRP (Hatch 450*450mm)
E	WALL	GRP
STRUCTURE	FLOOR	300*300mm polished tile
ST	DOOR	GRP
	TOILET	Flush: 6L
	VANITY CABINET	Recessed ceramic basin MFC wooden cabinet
	SCREEN	Tempered glass
	BIDET SPRAYER	Chrome plastic
ES	BASIN MIXER	Chrome, wall mounted
ACCESSORIES	SHOWER MIXER	Chrome
SS	MIRROR	W600*H800mm
	EXTRACT FAN	110V-240V/60Hz
⋖	DOWN LIGHT	LED 9W, 120-240V
	TOWEL RACK	Stainless steel
	SHELF	Plastic
	PAPER HOLDER	Chrome
	ноок	Chrome
	GLASS SHELF	Tempered glass
	WEIGHT	466kg ± 3%









(Indirect Drainage)


1521 D




MODELS







19





1521DABR


1521DABL

SPECIFICATION .

GROUP	PRODUCT	DESCRIPTION
₹.	CEILING	GRP (Hatch 450*450mm)
	WALL	GRP
STRUCTURE	FLOOR	300*300mm polished tile
ST	DOOR	GRP
	TOILET	Flush: 6L
	VANITY CABINET	Recessed ceramic basin MFC wooden cabinet
	SCREEN	Tempered glass
	BIDET SPRAYER	Chrome plastic
ACCESSORIES	BASIN MIXER	Chrome, wall mounted
OR	SHOWER MIXER	Chrome
ESS	MIRROR	W600*H800mm
	EXTRACT FAN	110V-240V/60Hz
◀	DOWN LIGHT	LED 9W, 120-240V
	TOWEL RACK	Stainless steel
	SHELF	Plastic
	PAPER HOLDER	Chrome
	ноок	Chrome
	GLASS SHELF	Tempered glass
	WEIGHT	446kg ± 3%









(Indirect Drainage)


1420 A



MODELS









1420AABR 1420AABL




SPECIFICATION .

GROUP	PRODUCT	DESCRIPTION
Ä.	CEILING	GRP (Hatch 450*450mm)
<u>E</u>	WALL	GRP
STRUCTURE	FLOOR	300*300mm polished tile
S	DOOR	GRP
	TOILET	Flush: 6L
	VANITY CABINET	Recessed ceramic basin MFC wooden cabinet
	BIDET SPRAYER	Chrome plastic
	BASIN MIXER	Chrome, wall mounted
ACCESSORIES	SHOWER MIXER	Chrome
O.R.	MIRROR	W600*H800mm
ESS	EXTRACT FAN	110V-240V/60Hz
	DOWN LIGHT	LED 9W, 120-240V
4	TOWEL RACK	Stainless steel
	SHELF	Plastic
	PAPER HOLDER	Chrome
	ноок	Chrome
	GLASS SHELF	Tempered glass
	CURTAIN	Al. rod with PVC curtain
	WEIGHT	406kg ± 3%








(Indirect Drainage)

1418 A / 1218 A



MODELS






SPECIFICATION

CDOUD	DDODUCT	1418 A	1218 A
GROUP	PRODUCT	DESCR	IPTION
#	CEILING	GRP (Hatch 4	150*450mm)
	WALL	GRP	
STRUCTURE	FLOOR	300*300mm	polished tile
S	DOOR	GRP	
	TOILET	Flush: 6L	
	VANITY CABINET	Recessed cer MFC wooden	
	BIDET SPRAYER	Chrome plas	tic
	BASIN MIXER	Chrome, wal	l mounted
ACCESSORIES	SHOWER MIXER	Chrome	
OR	MIRROR	W600*H800i	mm
SS	EXTRACT FAN	110V-240V/6	50Hz
	DOWN LIGHT	LED 9W, 120	-240V
	TOWEL RACK	Stainless ste	el
	SHELF	Plastic	
	PAPER HOLDER	Chrome	
	HOOK	Chrome	
	GLASS SHELF	Tempered gla	ass
	CURTAIN	Al. rod with F	PVC curtain
	WEIGHT	365kg ± 3%	326kg ± 3%


1218 A





1920(Required Space) 1800(Inner Dim.)

DIMENSION

1418 A









(Indirect Drainage)

1221 D




MODELS







SPECIFICATION

GROUP	PRODUCT	DESCRIPTION
H	CEILING	GRP (Hatch 450*450mm)
	WALL	GRP
STRUCTURE	FLOOR	300*300mm polished tile
ST	DOOR	GRP
	TOILET	Flush: 6L
	VANITY CABINET	Recessed ceramic basin MFC wooden cabinet
	SCREEN	Tempered glass
	BIDET SPRAYER	Chrome plastic
ACCESSORIES	BASIN MIXER	Chrome, wall mounted
OR	SHOWER MIXER	Chrome
ESS	MIRROR	W600*H800mm
	EXTRACT FAN	110V-240V/60Hz
	DOWN LIGHT	LED 9W, 120-240V
	TOWEL RACK	Stainless steel
	SHELF	Plastic
	PAPER HOLDER	Chrome
	ноок	Chrome
	GLASS SHELF	Tempered glass
	WEIGHT	411kg ± 3%









(Indirect Drainage)

1216 A



MODELS










SPECIFICATION

GROUP	PRODUCT	DESCRIPTION
ZE	CEILING	GRP (Hatch 450*450mm)
IOT:	WALL	GRP
STRUCTURE	FLOOR	300*300mm polished tile
S	DOOR	GRP
	TOILET	Flush: 6L
	VANITY CABINET	Recessed ceramic basin MFC wooden cabinet
	BIDET SPRAYER	Chrome plastic
	BASIN MIXER	Chrome, wall mounted
IES	SHOWER MIXER	Chrome
OR	MIRROR	W600*H800mm
:SS	EXTRACT FAN	110V-240V/60Hz
ACCESSORIES	DOWN LIGHT	LED 9W, 120-240V
⋖	TOWEL RACK	Stainless steel
	SHELF	Plastic
	PAPER HOLDER	Chrome
	ноок	Chrome
	GLASS SHELF	Tempered glass
	WEIGHT	307kg ± 3%







(Indirect Drainage)

1014 A / 1214 A



MODELS







1214AAAR 1214AAAL






1214AABR 1214AABL





1014AAAR

1014AAAL









SPECIFICATION


CDOUD	PRODUCT	1014 A	1214 A
GROUP		DESCRIPTION	
STRUCTURE	CEILING	GRP (Hatch 450*450mm)	
	WALL	GRP	
RU	FLOOR	200*200mm polished tile	
ST	DOOR	GRP	
ACCESSORIES	TOILET	Flush: 6L	
	BASIN	Ceramic, wall hang type	
	BIDET SPRAYER	Chrome plastic	
	BASIN MIXER	Chrome	
	MIRROR	W600*H800mm	
	EXTRACT FAN	110V-240V/60Hz	
	DOWN LIGHT	LED 9W, 120-240V	
	TOWEL BAR	Stainless, L=475mm	
	PAPER HOLDER	Chrome	
	GLASS SHELF	Tempered glass	
WEIGHT		228kg ± 3%	250kg ± 3%




DIMENSION

1214 A








(Indirect Drainage)

1014 C / 1214 C



MODELS









1214CABR

BR 1214CABL





1014CAAL

1014CAAR


1014CABR 1014CABL





SPECIFICATION

CDOLID	DD O DUIGT	1014 C	1214 C
GROUP	PRODUCT	DESCRIPTION	
STRUCTURE	CEILING	GRP (Hatch 450*450mm)	
	WALL	GRP	
	FLOOR	200*200mm tile	
ST	DOOR	GRP	
ACCESSORIES	URIANL	Automatic, AC 110V	
	BASIN	Ceramic, wall hang type	
	BASIN MIXER	Chrome	
	MIRROR	W600*H800mm	
	EXTRACT FAN	110V-240V/60Hz	
	DOWN LIGHT	LED 9W, 120-240V	
	TOWEL BAR	Stainless, L=475mm	
	PAPER HOLDER	Chrome	
	GLASS SHELF	Tempered glass	
WEIGHT 2		228kg ± 3%	238kg ± 3%

1014 C










DIMENSION

1214 C









(Indirect Drainage)

1014 E / 1214 E



MODELS








SPECIFICATION


GROUP	PRODUCT	1014 E	1214 E
GROUP		DESCRIPTION	
STRUCTURE	CEILING	GRP (Hatch 450*450mm)	
	WALL	GRP	
	FLOOR	200*200mm tile	
ST	DOOR	GRP	
ACCESSORIES	BASIN	Ceramic, wall hang type	
	BASIN MIXER	Chrome	
	SHOWER MIXER	Chrome	
	MIRROR	W600*H800mm	
	EXTRACT FAN	110V-240V/60Hz	
	DOWN LIGHT	LED 9W, 120-240V	
	TOWEL RACK	Stainless steel	
	SHELF	Plastic	
	PAPER HOLDER	Chrome	
	GLASS SHELF	Tempered glass	
	WEIGHT	209kg ± 3%	297kg ± 3%


1014 E






1214 E







(Indirect Drainage)

FUNCTION

DELICATE



Nature style design



Mounted basin mixer, more shorage sapce



Small size tiles to create anti-slip function



Arch shape to create more space



stand type

Reduce meldewing, easy clean



Nature style door set, solid and durable



Unique mirror clips to provide safer installation, remove easily

STORAGE SPACE



Simple cabinet for more storage space





Removable counter hole for easier maintenance

DRY/WET SEPERATION



Shower screen for wet insulation




Diverse curtain location to creat more shower space



FUNCTION

EASY CLEAN



Removable design, easy clean Deordorant design

Drain cover to block hairs



Cleaning Steps



Removable side panel to have easier repair





Bidet sprayer for body cleanin or bathroom cleaning

SAVE ENERGY _____



Water efficient toilet, meet LEED standard, save engery



LED down light, durable, low energy, install simply

SMART_







Remote controller easy operation

Smart washlet for better cleanning function

ACCESSORIES

DOOR

SHOWER DOOR







BATHTUB MIRROR



BASIN MIMXER

BIDET SPRAYER










COUNTER








PAPER HOLDER

SHELF









CERAMIC BASIN









TOILET

URINAL

WASHLET



EXTRACT FAN

TOWEL RACK

TOWEL BAR

GRAB BAR













DOWN LIGHT

HOOK

GLASS SHELF










DOOR FINISH _____

TOP


Inside Wall Panel 60, 75 9 Wall Panel Silicon Seal Silicon Seal Door Frame Silicon Seal Door Leaf Decoration Panel Outside

SECTION




WINDOW FINISH

TOP




(Door frame material could be aluminim, wood, plastic, nature stone, engineered stone, stainless steel, etc.)


SECTION




LIMITATION

Following building design is not suitable for using bathroom pod.







INTERFACE

A. Fresh Pipes Interface

100mm above ceiling; 1/2 " pipe adapaters.

B. Electricity Interface


Cables connect to ceiling junction box.

C. Extract Fan

Other trades will be resposible for the pipes from the extract fan.

D. Fresh Pipes Interface


100mm outside bathroom or 100mm below down stair floor.




→ work interface

bathroom interface is excluded plumbing & decoration work.

■ Direct Drainage





■ Indirect Drainage



NOTE

■ INSTALL ENVIROEMENT





■ BARRIER FREE

For barrier free design, the rescess slab requires over 70mm in depth.